



NEW INSIDE

Great Hardscapes Start Here[®]

Sierra Collection
Pavers With EverBold[®] Technology



Artisan Slate pavers in special order custom colors and Necessories Contemporary Fireplace in Positano - see pages 15 and 69

Building Values



For almost 40 years, Basalite® has worked on growing our business by building relationships. We have created strong bonds with our dealers, masons, architects, engineers and licensed contractors. From working together with the common purpose of installing the finest hardscape products available, we have seen our products placed in settings that range from practical to magical. At Basalite®, we are committed to being the best in the industry. Our focus now, just as it was when we opened our doors all those years ago, is on service, quality and innovation. Those are the values that have made us the industry leader we are today and the same principles that will guide us far into the future.



Contents

INTRODUCTION

Inspiring Outdoor Spaces

3

PAVERS

Sierra Collection

8

Artisan Slate Premier

11

Artisan Smooth Premier

13

Artisan Slate

15

Artisan Smooth

17

Italian Renaissance

19

Plank Paver

21

Artisan Cobblestone

23

Circle Kits

25

Wood Grain

27

Border Stones

29

Bullnose

31

Mission

33

Heartland

34

Arrowhead-Eurostone

35

PERMEABLE PAVERS

SF Rima™

36

Permeable Plank Paver

37

Permeable Mission

39

Permeable Cobblestone

41

RETAINING & LANDSCAPE WALLS

StoneWall® II

43

StoneWall® II Column Kit

45

Bayfield® Retaining Wall

47

Bayfield® Freestanding Wall

49

Brisa® Random Retaining Wall

51

Brisa® Random Freestanding Wall

53

Lakeland Standard and Lakeland II

55

Estate Wall Ashlar

57

Estate Wall

59

Terrace Wall

61

ENGINEERED WALLS

Geowall Pro & Max

63

OUTDOOR LIVING KITS

The Kitchen

65

Bars & Grills

67

Outdoor Fireplaces

69

Fire Pits

71

Fire Pit Accessories

72

StoneWall® II Fire Pit Kit

73

Water Features

75

Tables, Pillars & Seat Walls

76

ACCESSORIES & PATTERNS

Alliance Gator Products

77

Paver Patterns

79

INSTALLATION INSTRUCTIONS

Typical Paver Installation

81

Permeable Paver Installation

81

StoneWall II Installation

81

Typical Retaining Wall Installation

82

Brisa Freestanding Wall Installation

82

Great Hardscapes Start Here®



Basalite® sets the standard for hardscapes with our extensive collection of quality pavers, walls and outdoor living kits. Our large selection of styles, shapes, colors and textures allows you to transform patios, driveways, outdoor kitchens, pool areas and walkways into beautiful outdoor living areas.

Get inspiration for your next outdoor project with these designs showcasing real-life projects.

Share your photos with us on Pinterest,
Twitter, Facebook or LinkedIn.




Italian Renaissance Pavers in special order custom colors - see page 19



Necessities The Kitchen in Desert with Black Pearl granite countertop - see page 65



SF Rima™ Permeable Pavers in Tan Charcoal - see page 36



Artisan Slate Pavers in Positano - see page 15





3x18 Plank Paver in blend of Granite Bay, Truckee and Mount Shasta - see page 21



Bayfield® Freestanding Wall in special order custom color - see page 49



Italian Renaissance Pavers in special order custom colors - see page 19





Artisan Slate Pavers in Positano - see page 15



Plank Paver in blend of Granite Bay, Truckee and Mount Shasta - see page 21



Brisa® Random Freestanding Wall in Positano - see page 53



Sierra Collection
Pavers With EverBold® Technology

THE NEXT
GENERATION
OF PAVERS

Pavers with EverBold® Stay-True Technology



Rich
Colors



UV
Protected




Easy to
Clean



Stain
Resistant

VERSATILE SHAPES

Available in six versatile shapes to create a variety of laying pattern options.
For Sierra Collection patterns turn to page 79 or visit basalite.com.



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
6x6	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	7 lbs	448	108
6x9	148mm W x 223mm L x 60mm H	5.83" W x 8.78" L x 2.375" H	9.4 lbs	280	100
6x12	148mm W x 298mm L x 60mm H	5.83" W x 11.73" L x 2.375" H	13.5 lbs	224	108
9x12	223mm W x 298mm L x 60mm H	8.78" W x 11.73" L x 2.375" H	18.75 lbs	160	115
12x12	298mm W x 298mm L x 60mm H	11.73" W x 11.73" L x 2.375" H	20 lbs	128	122
12x18	298mm W x 448mm L x 60mm H	11.73" W x 17.64" L x 2.375" H	37.5 lbs	64	92

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.


THE EverBold® DIFFERENCE

The Sierra Collection with EverBold® stay-true technology enriches the paver color depth, extends color fastness over time, increases stain resistance, makes cleaning easier and has been laboratory proven to add UV protection that will keep your pavers looking like the day they were installed for many years.



RICH COLORS

Laboratory color results after pavers were exposed outdoors for over 3 years.



Without EverBold® With EverBold®



ACID RAIN

EverBold® improves resistance to acid rain which contributes to paver fading and general wear.




Without EverBold® With EverBold®



STAIN RESISTANT

EverBold® protects against stains, like mustard, wine, ketchup and coffee as tested below.



Without EverBold® With EverBold®

REALISTIC CHISELED FACE DESIGN

The chiseled face design and subtle color blends
add to the look of natural stone.



Arctic Grey



High Desert



Palomino Ridge



Ruby Canyon



Pebble Creek

Artisan Slate Premier

INTERLOCKING PAVING STONES




Artisan Slate Premier is designed to provide a bold paver solution with the highest of flexibility in design patterns. Highlighted by a large 12x12 paver, each stone features subtle textures that provide the look of real stone combined with the strength and durability of an interlocking paving stone.



Artisan Slate Premier Pavers in Torino

SPECIFICATIONS



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
6x6	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	7 lbs	448	108
6x12	148mm W x 298mm L x 60mm H	5.83" W x 11.73" L x 2.375" H	13.5 lbs	224	108
12x12	298mm W x 298mm L x 60mm H	11.73" W x 11.73" L x 2.375" H	20 lbs	128	122

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.




PATTERNS

To see additional Artisan Slate Premier patterns please visit basalite.com.


Pinwheel

80% 6x12 and 20% 6x6




Premier

40% 12x12 and 40% 6x12 and 20% 6x6




Diamond

50% 12x12, 25% 6x12 and 25% 6x6



Herringbone Blend

66% 6x12 and 34% 6x6



Artisan Smooth Premier

INTERLOCKING PAVING STONES




Artisan Smooth Premier is designed to provide a bold paver solution with the highest of flexibility in design patterns. Highlighted by a large 12x12 paver, each stone features a smooth texture with the strength and durability of an interlocking paving stone.



Artisan Smooth Premier Pavers in Positano

SPECIFICATIONS






Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
6x6	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	7 lbs	448	108
6x12	148mm W x 298mm L x 60mm H	5.83" W x 11.73" L x 2.375" H	13.5 lbs	224	108
12x12	298mm W x 298mm L x 60mm H	11.73" W x 11.73" L x 2.375" H	20 lbs	128	122

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

STOCK COLORS


Custom colors are available by special order - please contact your local dealer.




PATTERNS

To see additional Artisan Smooth Premier patterns please visit basalite.com.


Pinwheel
80% 6x12 and 20% 6x6




Premier
40% 12x12 and 40% 6x12 and 20% 6x6



Diamond
50% 12x12, 25% 6x12 and 25% 6x6



Herringbone Blend
66% 6x12 and 34% 6x6






Artisan Slate

INTERLOCKING PAVING STONES

This collection easily complements any home or landscape. Artisan Slate's subtle texture and natural beauty provide the look of real stone, deliver superior performance, and will withstand the test of time.

Artisan Slate Pavers in Positano

SPECIFICATIONS



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Square	138mm W x 138mm L x 60mm H	5.43" W x 5.43" L x 2.375" H	6 lbs	512	107
Rectangle	138mm W x 208mm L x 60mm H	5.43" W x 8.19" L x 2.375" H	8 lbs	384	121
Mega	208mm W x 278mm L x 60mm H	8.19" W x 10.94" L x 2.375" H	19 lbs	160	102


For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.




Positano



Verona



Torino




San Remo

PATTERNS

To see additional Artisan Slate patterns please turn to page 79 or visit basalite.com.


Interlace

75% Rectangle, 25% Square




Random 1

40% Mega, 20% Rectangle, 40% Square




Random Cobble

60% Mega, 30% Rectangle, 10% Square



Mega Pattern Two

67% Mega, 33% Rectangle



Artisan Smooth


INTERLOCKING PAVING STONES

Artisan Smooth has the power to create a serene and soothing atmosphere and easily complements any home or landscape. Artisan Smooth's natural beauty provides the homeowner with polished contemporary lines and the look of real stone.

Enhance your design with an accent border. See page 29.

Artisan Smooth Pavers in Verona with Charcoal Accent Border

SPECIFICATIONS



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Square	138mm W x 138mm L x 60mm H	5.43" W x 5.43" L x 2.375" H	6 lbs	512	107
Rectangle	138mm W x 208mm L x 60mm H	5.43" W x 8.19" L x 2.375" H	8 lbs	384	121
Mega	208mm W x 278mm L x 60mm H	8.19" W x 10.94" L x 2.375" H	19 lbs	160	102

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.




PATTERNS

To see additional Artisan Smooth patterns please turn to page 79 or visit basalite.com.


Interlace

75% Rectangle, 25% Square




Random 1

40% Mega, 20% Rectangle, 40% Square




Random Cobble

60% Mega, 30% Rectangle, 10% Square



Mega Pattern Two

67% Mega, 33% Rectangle



Italian Renaissance


INTERLOCKING PAVING STONES

The Italian Renaissance collection recreates the textured surface and hand-cobbled appearance of stone slab roads once naturally antiqued by carriage wheels and horses' hooves.



Italian Renaissance pavers in Positano

SPECIFICATIONS



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Square	138mm W x 138mm L x 60mm H	5.43" W x 5.43" L x 2.375" H	6 lbs	512	107
Rectangle	138mm W x 208mm L x 60mm H	5.43" W x 8.19" L x 2.375" H	8 lbs	384	121
Mega	208mm W x 278mm L x 60mm H	8.19" W x 10.94" L x 2.375" H	19 lbs	160	102

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Positano



Verona



Torino




San Remo

PATTERNS

To see additional Italian Renaissance patterns please turn to page 79 or visit basalite.com.


Interlace

75% Rectangle, 25% Square




Random 1

40% Mega, 20% Rectangle, 40% Square




Random Cobble

60% Mega, 30% Rectangle, 10% Square



Mega Pattern Two

67% Mega, 33% Rectangle





Plank Paver


INTERLOCKING PAVING STONES

Durable and perfect for high foot traffic areas, Basalite's Plank Paver is sleek and exudes ultra modern appeal. Available in two sizes, the Plank Paver is sure to make an impact in any residential or commercial landscape project.

3x18 Plank Paver in blend of Granite Bay, Truckee and Mount Shasta

SPECIFICATIONS

*3x9 is special order - please contact your local dealer for lead time.






Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
3x9	73mm W x 223mm L x 100mm H	2.87" W x 8.78" L x 3.94" H	8 lbs	420	75.6
3x18	138mm W x 448mm L x 100mm H	2.87" W x 17.64" L x 3.94" H	16 lbs	168	60

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.


STOCK COLORS

Custom colors are available by special order - please contact your local dealer.




PATTERNS


Running Bond
100% 3x18 or 3x9




Mixed Running Bond
50% 3" x 18" and 50% 3x9



Herringbone
100% 3x18 or 3x9



Basket Weave
100% 3x18 or 3x9



Artisan Cobblestone


INTERLOCKING PAVING STONES

For designs that require more formal styling, this paver offers the traditional look and feel of centuries-old cobbled block.

Don't forget to include complementary walls and stairs to complete your hardscape.

Artisan Cobblestone Pavers in Torino

SPECIFICATIONS



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Square	138mm W x 138mm L x 60mm H	5.43" W x 5.43" L x 2.375" H	6 lbs	512	107
Rectangle	138mm W x 208mm L x 60mm H	5.43" W x 8.19" L x 2.375" H	8 lbs	384	121
Mega	208mm W x 278mm L x 60mm H	8.19" W x 10.94" L x 2.375" H	19 lbs	160	102


For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Positano




Torino

PATTERNS

To see additional Artisan Cobblestone patterns please turn to page 79 or visit basalite.com.


Interlace

75% Rectangle, 25% Square




Random 1

40% Mega, 20% Rectangle, 40% Square




Random Cobble

60% Mega, 30% Rectangle, 10% Square



Mega Pattern Two

67% Mega, 33% Rectangle



Circle Kits

INTERLOCKING PAVING STONES


Add visual interest to your hardscape space with a circle inlay. The Basalite 11' circle kit requires no cutting and complements the Italian Renaissance, Artisan Cobblestone, Artisan Slate and Artisan Smooth paver collections.




Italian Renaissance Circle Kit in Positano

SPECIFICATIONS


Circle kit includes 8 Center Stone pieces, 8 Small Circle pieces, 240 Large Circle pieces, 120 Square pieces and 112 Rectangle pieces per pallet. For a combined total of 488 pieces per pallet.




Center Stone




Small Circle



Large Circle



Square





Rectangle

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Center Stone	139mm W x 139mm L x 60mm H	5.47" W x 5.47" L x 2.375" H	4.3 lbs	6	Makes one 11 foot circle
Small Circle	156mm W x 139mm L x 60mm H	6.14" W x 5.47" L x 2.375" H	4.2 lbs	8	
Large Circle	130mm W x 139mm L x 60mm H	5.11" W x 5.47" L x 2.375" H	4.2 lbs	240	
Square	139mm W x 139mm L x 60mm H	5.47" W x 5.47" L x 2.375" H	5.5 lbs	120	
Rectangle	119mm W x 139mm L x 60mm H	4.69" W x 5.47" L x 2.375" H	4.7 lbs	112	

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Wood Grain Paver

INTERLOCKING PAVING STONES




Basalite's Wood Grain Paver has the look and beauty of natural wood with the durability of concrete. This charming paver is available in three natural wood stain colors. Basalite's Wood Grain Paver will never need to be stained like wood and will not rot, warp, splinter or fade over time.



Wood Grain Paver in Driftwood

SPECIFICATIONS






Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Wood Grain	148mm W x 448mm L x 60mm H	5.83" W x 17.64" L x 2.375" H	20 lbs	112	80

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.


STOCK COLORS

Custom colors are available by special order - please contact your local dealer.





PATTERNS

Herringbone
100% Wood Grain Paver



Running Bond
100% Wood Grain Paver





Border Stones


INTERLOCKING PAVING STONES



Add a finishing touch and enhance your paver design with our new Border Stone series, available in two complimentary colors. Use an Accent Border to define special spaces and create decorative bands to entryways, patios, stairs, driveways and pool decks.

Artisan Slate Paver in San Remo with Charcoal Accent Border

SPECIFICATIONS




Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Rectangle	138mm W x 208mm L x 60mm H	5.43" W x 8.19" L x 2.375" H	8 lbs	384	121
For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.					

STOCK COLORS


Custom colors are available by special order - please contact your local dealer.




Artisan Slate Accent Border Brown



Artisan Slate Accent Border Charcoal




Artisan Smooth Accent Border Brown



Artisan Smooth Accent Border Charcoal




Italian Renaissance Accent Border Brown




Italian Renaissance Accent Border Charcoal

PATTERNS

Horizontal Soldier Course
100% Border Stone



Vertical Soldier Course
100% Border Stone





Bullnose


INTERLOCKING PAVING STONES

Ideal for stair treads, edges, borders, seat walls, and pool coping, the Bullnose Paver provides a smooth rounded edge to your design. Bullnose pavers are available in six colors, each of which can be tumbled upon request.

Bullnose Pavers in special order custom colors

SPECIFICATIONS

Bullnose paver has mortar groove for wet set applications.



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Bullnose	98mm W x 300mm L x 60mm H	3.86" W x 11.81" L x 2.375" H	8 lbs	128	42.5
For design consideration add 1.5mm or .06" to the W and L dimensions.					


STOCK COLORS

Bullnose pavers are available in a tumbled finish. Please call for availability.
Custom colors are available by special order - please contact your local dealer.



PATTERNS

Soldier Course
100% Bullnose



Mission

INTERLOCKING PAVING STONES

For a more traditional approach to landscape design, try Basalite® Mission Pavers. Even with its simple shape, Mission pavers can be arranged in several appealing patterns, such as Herringbone, Basket Weave, or Running Bond.

Mission Paver in Carmel

STOCK COLORS


Custom colors are available by special order - please contact your local dealer.

Pacifica

Carmel

Mendocino

SPECIFICATIONS




Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
4x8	98mm W x 198mm L x 60mm H	3.85" W x 7.795" L x 2.375" H	7 lbs	528	113

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

PATTERNS

To see additional Mission patterns please turn to page 79 or visit basalite.com.

Herringbone
100% Mission



Heartland Paver

INTERLOCKING PAVING STONES

The Heartland Paver is a single-sized system that has four unique slate topped patterns. These four patterns give the appearance of a thirteen-piece, random paver system. The Heartland Paver System reduces installation time due to the size of the units being slightly over one square foot each.

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.




Positano

Heartland Paver in Positano

SPECIFICATIONS

24 A pieces, 32 B pieces, 24 C pieces and 16 D pieces are on a pallet for a full pallet quantity of 104 pieces.



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
A	307mm W x 377mm L x 60mm H	12.09" W x 14.84" L x 2.375" H	28 lbs	24	104
B	307mm W x 377mm L x 60mm H	12.09" W x 14.84" L x 2.375" H	28 lbs	32	
C	307mm W x 377mm L x 60mm H	12.09" W x 14.84" L x 2.375" H	28 lbs	24	
D	307mm W x 377mm L x 60mm H	12.09" W x 14.84" L x 2.375" H	28 lbs	16	

For design consideration add 3.5mm or .14" to the W and L dimensions to allow for the spacers.

PATTERNS

Heartland



Arrowhead-Eurostone

INTERLOCKING PAVING STONES

Arrowhead-Eurostone consist of two geometric paving stones that together convey a vast array of design possibilities. The two shapes modulate to form a beautiful kaleidoscope of pattern options. Impressionistic designs are further enhanced when contrasting colors are used.

STOCK COLORS


Custom colors are available by special order - please contact your local dealer.



Chili Pepper Red & Lamp Black

Arrowhead-Eurostone Paver in Chili Pepper Red & Lamp Black

SPECIFICATIONS



Eurostone

Arrowhead

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Eurostone	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	5.2 lbs	512	85
Arrowhead	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	7 lbs	448	108


For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

PATTERNS

To see additional Arrowhead-Eurostone patterns please visit basalite.com.

Traditional

75% Arrowhead, 25% Eurostone



SF Rima™

PERMEABLE PAVING STONES

SF Rima™ permeable pavers are designed with the environment in mind, reducing storm water runoff, decreasing flooding and relieving storm water systems. SF Rima's unique design allows it to be installed with spacer-on-stone for water drainage or spacer-on-spacer for turf growth.

STOCK COLORS


Custom colors are available by special order - please contact your local dealer.



PERMEABLE PAVERS

SF Rima™ Pavers in Tan Charcoal

SPECIFICATIONS




Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
SF Rima	196mm W x 196mm L x 80mm H	7.71" W x 7.71" L x 3.18" H	17 lbs	180	84

For design consideration add 12mm or .47" to the W and L dimensions to allow for the spacers.

PATTERNS

Water Drainage
Spacer on stone



Permeable Plank Paver

PERMEABLE PAVING STONES




The Plank Permeable Paver is an environmentally beneficial, heavy-duty paving system designed to reduce storm water runoff on industrial, commercial, municipal and residential projects. With its modern look and large size, it's well suited for larger areas. This paver has a small joint for its stone size (9 - 11 mm) and a unique spacer system that facilitates mechanical installation. *Special order only.



Permeable Plank Pavers in special order custom color

SPECIFICATIONS

Two different widths (3.31" and 4.48"). Four different lengths (9.33", 10.91", 12.48 and 14.06").
30 pieces of each size are on a pallet for a full pallet quantity of 240 pieces.





Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
A	84mm W x 237mm L x 100mm H	3.31" W x 9.33" L x 3.93" H	8 lbs	30	86.4
B	84mm W x 277mm L x 100mm H	3.31" W x 10.91" L x 3.93" H	9.3 lbs	30	
C	84mm W x 317mm L x 100mm H	3.31" W x 12.48" L x 3.93" H	10.6 lbs	30	
D	84mm W x 357mm L x 100mm H	3.31" W x 14.06" L x 3.93" H	12 lbs	30	
E	114mm W x 237mm L x 100mm H	4.48" W x 9.33" L x 3.93" H	10.8 lbs	30	
F	114mm W x 277mm L x 100mm H	4.48" W x 10.91" L x 3.93" H	12.6 lbs	30	
G	114mm W x 317mm L x 100mm H	4.48" W x 12.48" L x 3.93" H	14.4 lbs	30	
H	114mm W x 357mm L x 100mm H	4.48" W x 14.06" L x 3.93" H	16.2 lbs	30	

For design consideration add 9.5mm or .37" to the W and L dimensions to allow for the spacers.

COLORS

***The Permeable Plank Paver is available by special order only - please contact your local dealer.**

12 solid (shown) and 4 blended colors are available by special order in the Permeable Plank Paver collection, visit basalite.com to see all color options.



PATTERNS


Pallet Layout

As placed on pallet.

F	G	E	H
D	A	C	B
H	E	G	F
C	B	D	A
F	G	E	H
D	A	C	B
H	E	G	F
C	B	D	A
H	E	G	F
C	B	D	A

Mechanical Installation

Horizontal rows are shifted each 50 mm to the left and right (100 mm in total), this can be done by the clamp on site.



Permeable Mission

PERMEABLE PAVING STONES


Permeable Mission is the perfect companion for any environmentally-sensitive or green building project. It allows water to drain naturally into the surface, reducing storm water runoff and its contaminants from entering our waterways.




Permeable Mission Pavers in Positano

SPECIFICATIONS

*8x8 is special order - please contact your local dealer for lead time.



4x8



8x8 *Special Order

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
4x8	94mm W x 194mm L x 80mm H	3.70" W x 7.64" L x 3.125" H	5.2 lbs	512	82.6
8x8	194mm W x 194mm L x 80mm H	7.64" W x 7.64" L x 3.125" H	16 lbs	216	90

For design consideration add 2.75mm or .11" to the W and L dimensions to allow for the spacers.

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Positano



Verona




Permeable Mission Pavers in Positano


PATTERNS

To see additional Permeable Mission patterns please turn to page 79 or visit basalite.com.


Permeable Mission
50% 4x8 and 50% 8x8




45° Herringbone
100% 4x8



90° Herringbone
100% 4x8



Running Bond
100% 4x8



Permeable Cobblestone


PERMEABLE PAVING STONES

Permeable Cobblestone pavers combine the look and feel of old, Roman-style cobbled block, with environmental benefits. Due to a unique spacer design, this paver allows storm water to drain naturally into the surface, reducing contaminants and helping to preserve our waterways.

Permeable Cobblestone Pavers in Positano

SPECIFICATIONS

168 4x4 pieces, 96 4x8 pieces and 72 8x8 pieces per pallet. For a combined total of 336 pieces per pallet. This system can be mechanically installed.



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
4x4	98mm W x 98mm L x 80mm H	3.85" W x 3.85" L x 3.18" H	3.45 lbs	168	65
4x8	98mm W x 198mm L x 80mm H	3.85" W x 7.79" L x 3.18" H	6.75 lbs	96	
8x8	198mm W x 198mm L x 80mm H	7.79" W x 7.79" L x 3.18" H	15.5 lbs	72	

For design consideration add 7.9mm or .31" to the W and L dimensions to allow for the spacers.

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.




Positano

PATTERNS

To see additional Permeable Mission patterns please turn to page 79 or visit basalite.com.

Permeable Cobblestone



StoneWall® II

FREESTANDING & RETAINING WALL

StoneWall® II is a six-piece, tumbled wall system that can be installed in different patterns and built as a retaining or freestanding wall. Basalite®'s StoneWall® II column kits are the perfect way to accent your freestanding wall.




StoneWall® II in Positano

SPECIFICATIONS

StoneWall® II is sold in pallet quantities only. There are six (6) different unit sizes randomly placed on each pallet.

*Caps are palletized and sold separately.



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
B	267mm L x 203mm W x 153mm H	10.5" L x 8" W x 6" H	34 lbs	Varies	33
C	267mm L x 305mm W x 153mm H	10.5" L x 12" W x 6" H	50 lbs		
F	267mm L x 153/102mm W x 153mm H	10.5" L x 6/4" W x 6" H	21 lbs		
H	267mm L x 406/356mm W x 153mm H	10.5" L x 16/14" W x 6" H	64 lbs		
E	267mm L x 203/178mm W x 153mm H	10.5" L x 8/7" W x 6" H	32 lbs		
G	267mm L x 305/279mm W x 153mm H	10.5" L x 12/11" W x 6" H	49 lbs	128	114 lineal feet
*Cap	267mm L x 342/203mm W x 330mm H	12" L x 13.5/8" W x 3" H	24 lbs		

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Column Kit

STONEWALL® II





Basalite®'s StoneWall® II column kits are the perfect way to accent your freestanding wall.




StoneWall® II Column Kit in Positano

SPECIFICATIONS


Each column is 21" x 21" square. There are 24 pieces of each sized block on the pallet for a total of 48 blocks. The kit will make two (2), 3-foot tall columns. *Caps are palletized and sold separately. *Caps are available in Pewter and Sand color.




6" Rectangle



15" Rectangle



*Small Cap



*Large Cap

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet
6" Rectangle	153mm L x 267mm W x 153mm H	6" W x 10.5" L x 6" H	28 lbs	24
15" Rectangle	381mm L x 267mm W x 153mm H	15" W x 10.5" L x 6" H	70 lbs	24
*Small Cap	610mm L x 610mm W x 51mm H	24" L x 24" W x 2" H	106 lbs	12
*Large Cap	762mm L x 762mm W x 51mm H	30" L x 30" W x 2" H	158 lbs	6

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Bayfield®

RETAINING WALL SYSTEM


The Bayfield® Retaining Wall System combines earthen tones, rich textures and varied contours, making it a reliable alternative to natural stone walls. Use Bayfield® retaining walls to create stunning retaining and terraced walls.

Bayfield® Retaining Wall in special order custom color

SPECIFICATIONS

Bayfield® Retaining Wall Large, Medium and Small units are sold in pallet quantities only.

*Column/Corners, Caps, Bullnose Caps and Torpedo™ Base Blocks are all palletized and sold separately.



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Large	254mm L x 457mm W x 153mm H	10" L x 18" W x 6" H	59 lbs	24 in each size for a total of 72 pieces.	36
Medium	254mm L x 305mm W x 153mm H	10" L x 12" W x 6" H	43 lbs		
Small	254mm L x 153mm W x 153mm H	10" L x 6" W x 6" H	21 lbs		
*Column/Corner	229mm L x 457mm W x 153mm H	9" L x 18" W x 6" H	75 lbs	20	
*Cap	330mm L x 203mm W x 76mm H	13" L x 8" W x 3" H	22 lbs	126	78 lineal feet
*Bullnose Cap	300mm L x 98mm W x 60mm H	3.86" W x 11.81" L x 2.375" H	8 lbs	128	43
*Torpedo™	445mm L x 254mm W x 103mm H	17.5" L x 10" W x 4" H	47 lbs	48	63 lineal feet

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Bayfield®

FREESTANDING WALL SYSTEM


The Bayfield® Freestanding Wall System combines earthen tones, rich textures and varied contours, making it a reliable alternative to natural stone walls. Use Bayfield® freestanding walls to create stunning seating areas, borders, columns and courtyards.



Bayfield® Freestanding Wall in special order custom color

SPECIFICATIONS

Bayfield® Retaining Wall Large, Medium and Small units are sold in pallet quantities only. The Bayfield freestanding units have textured sides for ending walls and incorporating columns without cutting. *Column/Corners, Caps, Bullnose Caps and Torpedo™ Base Blocks are all palletized and sold separately.



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Large	229mm L x 457/406mm W x 153mm H	9" L x 16/18" W x 6" H	70 lbs	24 in each size for a total of 72 pieces.	33
Medium	229mm L x 305/254mm W x 153mm H	9" L x 12/10" W x 6" H	45 lbs		
Small	229mm L x 153/102mm W x 153mm H	9" L x 6/4" W x 6" H	20 lbs		
*Column/Corner	229mm L x 457mm W x 153mm H	9" L x 18" W x 6" H	75 lbs	20	
*Cap	330mm L x 203mm W x 76mm H	13" L x 8" W x 3" H	22 lbs	126	78 lineal feet
*Bullnose Cap	300mm L x 98mm W x 60mm H	3.86" W x 11.81" L x 2.375" H	8 lbs	128	43
*Torpedo™	445mm L x 254mm W x 103mm H	17.5" L x 10" W x 4" H	47 lbs	48	63 lineal feet

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Brisa® Random

RETAINING WALL SYSTEM

Get the look of natural split limestone with the Brisa® Random retaining wall system. Use Brisa® retaining walls to create stunning retaining and terraced walls.




Brisa® Random Retaining Wall in Positano

SPECIFICATIONS

30 pieces of Large, 15 pieces of Medium and 15 pieces of Small units are on one pallet, for a full pallet quantity of 60 pieces.

*Column/Corner, Caps and Base Blocks are palletized and sold separately.



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Large	178mm L x 406mm W x 153mm H	7" L x 16" W x 6" H	52 lbs	30	30
Medium	178mm L x 254mm W x 153mm H	7" L x 10" W x 6" H	31 lbs	15	
Small	178mm L x 153mm W x 153mm H	7" L x 6" W x 6" H	20 lbs	15	
*Column/Corner	178mm L x 406mm W x 153mm H	7" L x 16" W x 6" H	75 lbs	28	28
*Cap	305mm L x 191mm W x 76mm H	12" L x 7.5" W x 3" H	22 lbs	126	78 lineal feet
*Torpedo™	445mm L x 254mm W x 103mm H	17.5" L x 10" W x 4" H	47 lbs	48	63 lineal feet

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Brisa® Random

FREESTANDING WALL

Brisa® Random freestanding walls can be used to create stunning seating areas, columns, borders, and courtyards.


The texture of natural split limestone and rich color blends create a visually stunning scene.

Brisa® Random Freestanding Wall in Positano

SPECIFICATIONS

60 pieces of Large, 30 pieces of Medium and 30 pieces of Small units are on one pallet, for a full pallet quantity of 120 pieces.

*Caps, Corners, Columns and Base Blocks are all palletized and sold separately.



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Large	102mm L x 406mm W x 153mm H	4" L x 16" W x 6" H	36 lbs	60	
Medium	102mm L x 254mm W x 153mm H	4" L x 10" W x 6" H	22 lbs	30	30
Small	102mm L x 153mm W x 153mm H	4" L x 6" W x 6" H	13 lbs	30	
*Column/Corner	178mm L x 406mm W x 153mm H	7" L x 16" W x 6" H	75 lbs	28	28
*Cap	191mm L x 305mm W x 76mm H	12" L x 7.5" W x 3" H	22 lbs	126	78 lineal feet
*Torpedo™	445mm L x 254mm W x 103mm H	17.5" L x 10" W x 4" H	47 lbs	48	63 lineal feet
*Wall End Cap	305mm L x 184mm W x 76mm H	7.25" L x 12" W x 3" H	22 lbs	36	78 lineal feet
*Wall End Corner	241mm L x 184mm W x 153mm H	7.25" L x 9.5" W x 6" H	36 lbs	42	28 lineal feet

Lakeland™ Standard & Lakeland™ II Blocks


FREESTANDING & RETAINING WALL

Lakeland™ Standard and Lakeland™ II are the perfect blocks when added to the Necessaries product lines. Create small retaining walls or freestanding walls.


Lakeland™ Standard & Lakeland™ II Blocks in Positano

SPECIFICATIONS


Lakeland™ II Small and Medium units are sold in pallet quantities only. *Lakeland™ Standard are palletized and sold separately.



Lakeland™ II Small



Lakeland™ II Medium



*Lakeland™ Standard

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Small	203mm L x 102mm W x 102mm H	8" L x 4" W x 4" H	10 lbs	80 in each size for a total of 160 pieces.	26
Medium	203mm L x 203mm W x 102mm H	8" L x 8" W x 4" H	20 lbs		
Standard	203mm L x 305mm W x 102mm H	8" L x 12" W x 4" H	31 lbs		

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Estate Wall Ashlar

RETAINING WALL


The unique artistry of your hardscape will be enhanced by our Estate Wall Ashlar. Estate Wall Ashlar offers the appearance and craftsmanship of hand-laid stone - but with the added advantages of segmental wall construction and design.

Estate Wall Ashlar in Positano


SPECIFICATIONS

15 units of Left Score Ashlar blocks, 15 units of Right Score Ashlar blocks and 30 units of Standard are on one pallet for a full pallet quantity of 60 pieces.*Caps are palletized and sold separately.


Ashlar Face gives the appearance of individual cut stones with the advantage of being a modular block.




Left Score Ashlar



Right Score Ashlar



Standard




*Cap

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Left Score	264mm L x 406mm W x 153mm H	10.375" L x 16" W x 6" H	50 lbs	15	40
Right Score	264mm L x 406mm W x 153mm H	10.375" L x 16" W x 6" H	50 lbs	15	
Standard	264mm L x 406mm W x 153mm H	10.375" L x 16"W x 6" H	50 lbs	30	
*Cap	254mm L x 305/203mm W x 76mm H	10" L x 12/8" W x 3" H	24 lbs	112	93 lineal feet

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Estate Wall



RETAINING WALL

Estate Wall is made of high-strength, low absorption concrete for providing permanent, environmentally safe walls that are virtually maintenance free. Maximum wall height not to exceed 3' Minimum Radius 3' 6"

Estate Wall in Grey

SPECIFICATIONS

*Stock colors for the cap are Tan and Grey.




Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Tri-Plane	264mm L x 406mm W x 153mm H	10.375" L x 16" W x 6" H	50 lbs	60	40
*Cap	254mm L x 305/203mm W x 76mm H	10" L x 12/8" W x 3" H	24 lbs	112	93 lineal feet

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.




Tan



Grey



Tan Charcoal




Red Charcoal

Terrace Wall

RETAINING WALL




The Terrace Wall enables you to build straight, curved or terraced walls to fit the contours of your yard. Use it for retaining or terrace walls up to 2 feet high: patio, lawn or sidewalk edging, garden or flowerbed borders and tree rings. Maximum wall height not to exceed 2'. Minimum Radius is 2' 2".



Terrace Wall in Red Charcoal

SPECIFICATIONS



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Tri-Plane	229mm L x 295mm W x 103mm H	9" L x 11.625" W x 4" H	22 lbs	100	32.29

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Tan



Grey



Tan Charcoal



Red Charcoal


Geowall™ Pro & Max

ENGINEERED WALL

The Geowall™ Pro & Max features an open core design and high strength pin connection system. Geowall™ has two setback positions for near-vertical or battered wall construction.

Geowall™ Pro in Grey


SPECIFICATIONS



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Max Tri-plane	546mm L x 457mm W x 203mm H	21.5" L x 18" W x 8" H	95 lbs	30	30
Max Straight Face	546mm L x 457mm W x 203mm H	21.5" L x 18" W x 8" H	105 lbs	30	30
Pro Tri-plane	305mm L x 457mm W x 203mm H	12" L x 18" W x 8" H	75 lbs	45	45
Pro Straight Face	305mm L x 457mm W x 203mm H	12" L x 18" W x 8" H	85 lbs	45	45
Classic Corner	229mm L x 457mm W x 203mm H	9" L x 18" W x 8" H	60 lbs	50	-
Tri-plane Corner	229mm L x 457mm W x 203mm H	9" L x 18" W x 8" H	60 lbs	50	-
4" Straight Side Cap	267mm L x 457mm W x 102mm H	10.5" L x 18" W x 4" H	31 lbs	80	-
4" Cap	267mm L x 457mm W x 102mm H	10.5" L x 18" W x 4" H	31 lbs	80	-
8" Straight Side Cap	267mm L x 457mm W x 203mm H	10.5" L x 18" W x 8" H	75 lbs	50	-
8" Cap	267mm L x 457mm W x 203mm H	10.5" L x 18" W x 8" H	75 lbs	50	-
Pins	95mm L x 12.7mm	3.75" L x .50" W	-	-	-

STOCK COLORS

Custom colors are available by special order - please contact your local dealer.



Necessaries™ The Kitchen™

OUTDOOR LIVING KITS

A collection of granite-topped cabinets for backyard baking, grilling, dining and entertaining. Elegant, functional and affordable, these quality components and cabinets come with everything you need and are ready to assemble in any configuration you can imagine. For specific kit and size information please visit basalite.com.

1. Island Cabinet Kit (available with or without the sink)
2. The Sizzler Grill Cabinet Kit (40" Grill Cabinet with 5 burners)
(not shown 32" Grill Cabinet with 4 burners)
3. The Prep Center Cabinet Kit
4. The Smoker Cabinet Kit (smoker sold separately)
5. Outdoor Oven Woodbox/Stand Kit (pizza oven sold separately)
6. The Refrigerator Cabinet Kit (refrigerator sold separately)
7. The Side Burner Cabinet Kit
8. The Kitchen collection



STRUCTURE BLOCK COLORS






COUNTERTOP COLORS



Bluestone



Countertop Black Pearl



Countertop Viscon White


Necessaries™ Bars & Grills

OUTDOOR LIVING KITS

For home cooking enthusiasts who love to BBQ, cook and entertain outdoors, Necessaries™ Bar & Grill kits by Basalite® are a wonderful addition to your home's backyard. There is no better way to spend time with your friends and family than relaxing and cooking in your own unique outdoor living area.



STOCK COLORS



Positano



Santa Fe



1. Grand 8' Bar With Grill & Door kit, 2. Grand 8' Bar With Grill and Refrigerator Opening kit (refrigerator sold separately) , 3. Grand 8' Island Bar kit, 4. Compact Bar Front Open kit. Also available but not shown Grand Grill Surround kit, Grand Corner Return kit, Grand 4' Bar kit and Compact Bar Front Closed kit.



Desert



Bluestone

Necessaries™ Outdoor Fireplaces

OUTDOOR LIVING KITS

Enjoy the warmth of a wood fire on cool evenings with friends and family. Marshmallows and fun stories make an evening of memories in your own backyard. The Necessaries™ Outdoor Fireplace series has a kit that fits you and your budget. All kits are expandable so you can start building a Fireplace today and add a Hearth or Wood Box later.



STOCK COLORS



Positano



Santa Fe



1. Grand Fireplace kit, Grand Wood Box kit and Grand Hearth kit in Santa Fe, 2. Compact Fireplace kit, Compact Wood Box kit and Compact Hearth kit, 3. Victorian Fireplace kit, 4. Contemporary Fireplace kit. Also available but not shown Contemporary Hearth kit, Colonial Fireplace kit, Colonial Wood Box kit, Colonial Hearth kit, Victorian Wood Box kit and Victorian Hearth kit.



Desert



Bluestone

Necessaries™ Fire Pits


OUTDOOR LIVING KITS

Stack up the wood, get out the roasting sticks, kick back and enjoy the glow...No matter what your locale, there will always be cool evenings to enjoy the warmth of a backyard fire. Necessaries™ Fire Pits add charm to any backyard design, and because they are made with high-quality Basalite® fire pit block, they will last for years.

1. Grand Fire Pit kit
2. Victorian Fire Pit kit
3. Compact Fire Pit Kit



STOCK COLORS



Necessaries™


Fire Pit Accessories

OUTDOOR LIVING KITS


Accessory items for your Necessaries™ products.
Spark screens, fire pit lids, fire pit seat wall caps and more.




Grand Fire Pit Cap
10"W x 2-1/4"H (32"ID/52"OD).
Silver Creek chiseled edge in limestone. Eight pieces per pallet.
Approximate weight 31 lbs.
Sold as a full set of 8 pieces.




E-Z Access Spark Screen
40" W x 18" H.
Approximate weight 22 lbs.



Steel Fire Pit Cover
Prevents dirt and debris from entering the fire pit when not in use, keeping your ring ready for its next use.



Steel Fire Pit Cover For Units With A Grate
Prevents dirt and debris from entering the fire pit when not in use, keeping your ring ready for its next use.
Grate not included with cover.




StoneWall® II Fire Pit Kit

There are few things in life as relaxing as sitting by a warm fire on a cool evening. Our StoneWall® II fire pit kit is an easy to install project that includes all of the materials you will need to build your own intimate campfire.

StoneWall® II Fire Pit in Positano

SPECIFICATIONS

Available as a 15" tall kit (two courses plus cap) or a 21" tall kit (three courses plus cap).
Please contact your local dealer or Basalite® representative for more information.



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet
15" Kit Unit F	267mm L x 153/102mm W x 153mm H	10.5" L x 6/4" W x 6" H	21 lbs	58
15" Kit Cap	254mm L x 305/203mm W x 76mm H	12" L x 13.5/8" W x 3" H	24 lbs	14
21" Kit Unit F	267mm L x 153/102mm W x 153mm H	10.5" L x 6/4" W x 6" H	21 lbs	87
21" Kit Cap	254mm L x 305/203mm W x 76mm H	12" L x 13.5/8" W x 3" H	24 lbs	14

STOCK COLORS



Necessaries™ Water Features

OUTDOOR LIVING KITS

Necessaries™ Waterfall kits by Basalite® are the perfect solution for backyard enthusiasts that do not want a large pond to maintain or are tight on space but want the comforting sound of water cascading on rocks.



STOCK COLORS



Necessaries™ Tables, Pillars & Seat Walls

OUTDOOR LIVING KITS

Necessaries Tables fit easily into any outdoor living design. Use the Pillars to define a pathway, finish a Seat Wall or even use Pillars to highlight the entrance to your driveway.


3



4



5



6

1. Grand Waterfall kit, 2. Compact Waterfall kit, 3. Dining Table kit, 4. Pub Table kit, 5. 20 inch Column with Glass kit, 6. Lakeland Seat Wall kit. Also available but not shown Bistro Table kit, 20 inch Column kit, 24 inch Column kit and Riverland Seat Wall kit.



Desert



Bluestone



GATOR MAXX G2

For residential or commercial applications. This new generation of intelligent polymers neutralizes haze and dust. No blower is needed and the intelligent polymeric sand requires only one watering. Recommended for a variety of uses. Available in Beige, Slate Grey, Ivory and Black Diamond.



GATOR SPACER

Gator Spacer provides uniform spacing and unparalleled horizontal and vertical stability to the Gator Tile system. Gator Block Bond XP penetrates into the rivet holes, adhering the Porcelain tile to the Gator Spacer, then hardens. Available in 3 sizes: joint widths of 1/8", 3/16", & 1/4"



SUPERSAND G2

For residential applications. This new generation of intelligent polymers neutralizes haze and dust. No blower is needed and the intelligent polymeric sand requires only one watering. Supersand G2 is recommended for a variety of uses including pool decks, patios, footpaths, driveways, parking spaces, pavements, etc. Available in Beige and Slate Grey.



GATOR EDGE FLEX AND RIGID

Made with 100% Polypropylene Copolymer giving this edging great strength and flexibility. Both the Rigid and Flex can be locked together with the "Twist & Lock" connection system. The Rigid could be transformed in a partial Flex by cutting the bridge support.



GATOR DUST POLYMERIC STONE DUST

For natural stone joints 1/2" to 6". It's ideal for pedestrian patios, walkways, pool decks and many more scenarios. Available in Beige or Grey.



GATOR BASE SCREWS

Fastening Gator Edge with the Gator Base Screws through the Gator Base reinforces the outside perimeter, creating a strong lateral support. Gator Base Screws are a required component on any Gator Base install.



GATOR AQUA PERMEABLE STONE

For permeable paver joints. It's ideal for driveways, parking lots, walkways, drainage applications, bedding and jointing material and more. Available in Grey.



GATOR NAILS

Alliance Gator Nails are high quality 10" common models. Gator Nails are designed for use with all Gator Edge types.



GATOR TILE POLYMERIC SAND

The only polymeric sand for outdoor porcelain tile with joint up to 1". Once set, becomes very firm and locks between the tile joints while still retaining flexibility and providing a long-lasting, durable jointing material. Available in Beige, Grey, Ivory or Black.



GATOR BLOCK XP XTRA POLYURETHANE ADHESIVE

XP XTRA performance polyurethane adhesive, low VOC is one of the strongest polyurethane adhesives on the market. It is specially formulated for overlays, pool copings, steps and wall caps, concrete pavers, wet cast, natural stones, retaining walls, masonry units and bricks.



GATOR BASE

Gator Base replaces concrete foundations and is engineered to replace 6" of crushed stone. The interlocking panels distribute all dynamic and static loads to a very wide area, practically eliminating any pressure on the ground.



GATOR BLOCK HP HIGH PERFORMANCE ADHESIVE

Gator Block Bond High Performance, low VOC is one of the best adhesives on the market. It is especially formulated for bonding concrete pavers, wet cast, natural stones, retaining walls, masonry units and bricks.



GATOR ROCK BOND LIQUID BINDING AGENT

Gator Rock Bond is a one component binder, that when mixed with clean and dry riverstone, granite, limestone or marble creates a durable yet solid permeable and decorative surface. Great for garden pathways where erosion and drainage is a concern.



GATOR ROCK BOND ROCK AND BINDER KIT

Gator Rock Bond rock and binder kit is a one component binder, that when mixed with riverstone creates a durable yet solid permeable and decorative surface. Great for garden pathways where erosion and drainage is a concern.



GATOR STONE BOND LIQUID STONE STABILIZER

Gator Stone Bond liquid stone stabilizer is a unique blend of polymers designed to bind together a wide variety of small aggregates commonly referred to as decomposed granites (dg): pathway mixes, crusher runs, concrete sand, etc.



GATOR SEAL WET LOOK OR SATIN LOOK

Made from acrylic based polymers. Gator Satin Look or Wet Look sealer penetrates deep into the concrete paver, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt. Specifically formulated to be used on unsealed surfaces only.



GATOR CLEAN EFFLORESCENCE CLEANER

Gator Efflorescence Cleaner will remove any efflorescence stains trapped in the concrete pavers, wet cast products and natural stone pores. It makes the surface look clean and vibrant without discoloring or damaging the surface.



GATOR CLEAN SHAMPOO

Gator Clean Shampoo removes ground-in dirt from the surface of concrete pavers, wet cast products and natural stones. It will make the pavers, patio slabs, walls & natural stones look clean and vibrant.



GATOR HYBRID SEALER LOW GLOSS + COLOR ENHANCER

Gator Hybrid Sealer is an acrylic copolymer used to seal concrete pavers. It penetrates deep into the concrete paver pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.



GATOR HYBRID SEALER HIGH GLOSS +COLOR ENHANCER

Gator Hybrid Sealer is an acrylic copolymer used to seal concrete pavers. It penetrates deep into the concrete paver pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.



SIGNATURE GATOR SEAL NATURAL LOOK FINISH

This is a zero gloss, water-based sealer for natural stones made from fluorochemical polymers. A multi-purpose sealer that penetrates deep into natural stones, concrete pavers, walls and masonry thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.



SIGNATURE GATOR SEAL ZERO GLOSS +COLOR ENHANCER

Signature Gator Seal for Natural Stone is made of silicone based polymers. This sealer penetrates deep into the natural stone thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.




GATOR HYBRID SEALERS - ZERO GLOSS, LOW GLOSS OR HIGH GLOSS

Gator Hybrid Seal is an acrylic copolymer used to seal concrete pavers. It penetrates deep into the concrete paver pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.

Random 1


40% Mega, 20% Rectangle and 40% Square



For use with Artisan Slate, Artisan Smooth, Italian Renaissance and Artisan Cobblestone.

Random 2


30% Mega, 40% Rectangle and 30% Square



For use with Artisan Slate, Artisan Smooth, Italian Renaissance and Artisan Cobblestone.

Random Cobble


60% Mega, 30% Rectangle and 10% Square



For use with Artisan Slate, Artisan Smooth, Italian Renaissance and Artisan Cobblestone.

Two Way Parquet


67% Rectangle and 33% Square



For use with Artisan Slate, Artisan Smooth, Italian Renaissance, Artisan Cobblestone, Permeable Artisan Slate and Permeable Italian Renaissance pavers.

Herringbone Flagstone


37.5% Mega, 37.5% Rectangle and 25% Square



For use with Artisan Slate, Artisan Smooth, Italian Renaissance and Artisan Cobblestone.

Mega Pattern Two


67% Mega and 33% Rectangle



For use with Artisan Slate, Artisan Smooth, Italian Renaissance and Artisan Cobblestone.

Interlace


75% Rectangle and 25% Square



For use with Artisan Slate, Artisan Smooth, Italian Renaissance, Artisan Cobblestone, Permeable Artisan Slate and Permeable Italian Renaissance pavers.

Basket Weave


100% Rectangle



For use with Mission and Permeable Mission pavers.

Double Basket Weave


100% Rectangle



For use with Mission and Permeable Mission pavers.

45° Herringbone


100% Rectangle



For use with Mission and Permeable Mission pavers.

90° Herringbone


100% Rectangle



For use with Mission and Permeable Mission pavers.


Running Bond

100% Rectangle



For use with Artisan Slate, Artisan Smooth, Italian Renaissance, Artisan Cobblestone, Mission, Permeable Artisan Slate, Permeable Italian Renaissance and Permeable Mission pavers.

Square Running Bond
100% Square



For use with Artisan Slate, Artisan Smooth, Italian Renaissance, Artisan Cobblestone, Permeable Artisan Slate and Permeable Italian Renaissance pavers.

Running Bond
100%




For use with Plank and Wood Grain pavers.

Mixed Running Bond
50% 3" x 18" and 50% 3" x 9"




For use with Plank pavers.

Herringbone
100%




For use with Plank and Wood Grain pavers.

Basket Weave
100% 3" x 18" or 3" x 9"




For use with Plank pavers.

Sierra Collection 3 Piece Pattern #1
60% 9x12, 30% 6x9 and 10% 6x6




For use with Sierra Paver Collection.

Sierra Collection 3 Piece Pattern #2
50% 12x18, 33% 12x12 and 17% 6x12




For use with Sierra Paver Collection.

Sierra Collection 4 Piece Pattern #1
40% 12x12, 20% 6x12, 30% 6x9 and 10% 6x6




For use with Sierra Paver Collection.

Sierra Collection 4 Piece Pattern #2
40% 12x18, 27% 12x12, 20% 9x12 and 13% 6x12




For use with Sierra Paver Collection.

Sierra Collection 6 Piece Pattern #1
40% 12x18, 13% 12x12, 20% 9x12, 13% 6x12,
10% 6x9 and 4% 6x6



For use with Sierra Paver Collection.


Sierra Collection 6 Piece Pattern #2
32% 12x18, 21% 12x12, 16% 9x12, 10% 6x12,
16% 6x9 and 5% 6x6



For use with Sierra Paver Collection.

Circle Kit


C: Center Stone, SC: Small Circle, LC: Large Circle,
RE: Rectangle, Q: Square



*The installation instructions and illustrations shown are a basic overview of paver and wall installation methods. Because installation methods vary per product, please refer to the Basalite product specific installation guide, the Standard ICPI installation method, ICPI.org or visit www.basalite.com.


TYPICAL PAVER INSTALLATION*

1. Excavate unsuitable, unstable or unconsolidated subgrade material and compact the area which has been cleared. Backfill and level with dense graded aggregate suitable for base material (typically 3"-6" for pedestrian/light vehicular traffic and 8"-10" for driveway applications), or as otherwise directed by site engineer/architect/landscape architect.
2. Install edge restraint using concrete curb, concrete toe or edging.
3. Place bedding course of sharp, normal-weight screening or concrete sand to a uniform depth of approximately 1" leveled to grade.
4. Install Basalite Pavers hand tight with joints approximately 1/8". Where required, cut stones with an approved cutter to fit accurately.
5. Tamp pavers with mechanical vibrator, uniformly level, true to grade and free of movement. Textured pavers require a rubber pad for the vibrator to reduce scuffing.
6. Fill voids in joints by sweeping dry, fine, sharp sand over pavers.




PERMEABLE PAVER INSTALLATION*

1. Excavate unsuitable, unstable or unconsolidated subgrade material and compact the area in accordance to ICPI guidelines. Backfill and level Sub-base with No. 2 aggregate 2-1/2" crushed. Backfill and level base layer with No. 57 aggregate 3/4" crushed. The joint material and the foundation (paver bed, subbase, subgrade) must be permeable. 60mm thick pavers may be used in pedestrian applications.
2. Install edge restraint using concrete curb, concrete toe or edging.
3. Place bedding course of No. 8 aggregate 3/8" leveled to grade.
4. Install Pavers in closed assembly with spacer on stone for water drainage. Fill joints with gravel. Where required, cut stones with an approved cutter to fit accurately.
5. Tamp pavers with mechanical vibrator, uniformly level, true to grade and free of movement. Textured pavers require a rubber pad for the vibrator to reduce scuffing.
6. Fill voids in joints by sweeping dry ASTM No. 8, 89 or 9 stones.




STONEWALL II INSTALLATION*



A. Prepare Base Leveling Pad

Excavate trench 20" wide and 12" deep along the length of wall, assuring depth provides proper unit embedment. On sloped sites, step up 6"

to change elevation. Place 6" of 3/4"-1/2" crushed aggregate in the trench. Level, then compact to 95% or greater of standard proctor.



B. Set & Align Base Course

Starting at lowest elevation, ideally a corner, place and level the block using a string line and 2' level. Follow the suggested patterns as

shown, or create your own. Make sure the recess next to the center core is placed top up. Place alignment plugs into the center core following the guidelines below. Lay out the entire bottom course before proceeding to the next courses. Place perforated drain pipe onto leveling pad, behind base course (retaining wall) then backfill, 12" deep, to top of wall with crushed aggregate. Stack additional courses altering the pattern course to course. Repeat the steps to reach the desired wall.


*The Bayfield and Brisa Retaining Wall Systems can be used for gravity walls up to 3 feet high, including buried course, but excluding the cap. Taller walls can be built with the Retaining Wall System using geosynthetic reinforcement when designed by a qualified engineer. Height assumes level backfill and clean, compacted sand or gravel and no surcharge. The Bayfield® and Brisa® Freestanding Wall Systems can be used for walls up to 3 feet high, including buried course, but excluding the cap.

TYPICAL RETAINING WALL INSTALLATION*




A. Prepare Base Leveling Pad
Excavate for the leveling pad. The trench should be at least 12 inches wider than the block you are installing and 6 inches deeper than the height of the block. Use a compactible base material of 3/4-inch minus (with fines) for the leveling pad. The pad must extend at least 6 inches in front of and behind the first course of block, and be at

least 6 inches deep after compaction. If the planned grade along the wall front will change elevation, the leveling pad may be stepped up in 6-inch increments to match the grade change. Start at the lowest level and work upward whenever possible. Compact the aggregate and make sure it's level front to back and side to side. Mist lightly with water before compaction.




B. Base Course
Begin laying block at the lowest elevation of the wall. For quick-leveling, use the Torpedo™ base block with the hand-holds down, or you can remove the rear lip of the block by hitting from the back so it will lie flat on the leveling pad. Place the first block level, front to back and side to side; lay subsequent blocks in the same manner, flush

against each other. Make sure they are in full contact with the leveling pad. If the wall is on an incline, don't slope the blocks; step them up so they remain consistently level. For multiple-piece products, use the largest unit, 18 inches wide, for the base course. Complete the base course before proceeding to the second course. A drainage pipe should be placed at rear base of first course.



C. Stacking and Fill
Place the second course of blocks on top of the base course. Remember to keep the wall on bond by placing units in a staggered relationship to the course beneath. Pull each block forward as far as possible to ensure the correct setback. Backfill with drainage aggregate directly behind the block, adding 6 inches at a time, followed by proper

compaction. Add soil fill behind the aggregate. Compact before the next course is laid. With the top units dry and clean, stack the caps on top of the final row and use a masonry construction adhesive such as Hardscape Zone adhesive.



C. 3-Way Alignment Plug (3WAP)

After stacking the block course, place a 3WAP into the core of each unit, assuring that the flange on the plug rests within the recess adjacent to the core. Orient the plug to achieve your desired wall batter. Use the setback position for retaining walls to achieve a 7.3 degree batter, the vertical position for bench walls, and the reveal position to occasionally highlight a unit.

BRISA® FREESTANDING WALL INSTALLATION*



A. Prepare Base Leveling Pad
Excavate a trench for the leveling pad to the lines and grades shown on the approved plans. The trench should be a minimum of 24 inches wide and 10 inches deep. Should the grade along the wall change elevation, step the trench up in equal block height increments so as to match the change of grade. Always start at the lowest point and

work upwards. Place a 3/4-inch minus crushed aggregate into the excavated trench; assure aggregate depth is at least 6 inches, and extends beyond the front and back of the block by a minimum of 6 inches. After placing the aggregate into the excavated trench, level the material and compact to 95% standard proctor.




B. Base Course
Place a level string line along the length of a wall and to the back top edge of the desired location of the blocks. Assure that the string is level and at the desired height of the first course of blocks. Begin stacking the blocks at the lowest point in the wall, work upwards by placing the Torpedo™ base block with the hand-holds down to ensure

proper contact with the leveling pad. As the blocks are placed, use a small level to assure that the blocks are level front to back and side to side. Utilize a 4-foot level to assure that a group of blocks are level side to side.



C. Stacking and Capping
Build the next course and glue to the base blocks. Work from the appropriate side of the pattern as you face the wall. Use 1/2-inch-diameter of glue 3 inches apart in the front half of the block. Build a separate wall on each side of the base unit. Maintain a consistent gap of roughly 1 inch between the parallel walls. Continue to build one

layer of the pattern on each side of the wall, maintaining a uniform distance between the two walls. Check horizontal and vertical levels of each wall. Periodically check the distance between the wall faces to ensure consistent spacing. Gaps will vary on curves. Flip blocks over on curves as needed. This reduces the need to cut blocks. Sweep all debris from the top course. Lay out all the caps onto the wall before gluing. Confirm the blocks are dry, then place a bead of masonry/concrete construction adhesive onto the top course of block, at the front and back of the block and along the entire length of the wall. Place the caps onto the adhesive and into the desired position.



D. Capping the Wall

Adhere clean and dry cap blocks to the wall using silicon concrete construction adhesive. Place cap flush to the wall face or with an overhang.



Front cover Sierra Collection Pavers in High Desert and back cover Artisan Slate Premier Pavers in special order custom color - see pages 8 and 11

PAVERS | WALLS | OUTDOOR LIVING KITS

605 Industrial Way
Dixon, CA 95620
800-776-6690

11888 West Linne Rd.
Tracy, CA 95376
800-776-6690

1201 Golden State Blvd.
Selma, CA 93662
559-896-0753

©2018 Basalite® Concrete Products, LLC. All trademarks ® are registered trademarks. Bayfield® and Brisa® wall systems are manufactured under license from Anchor Wall Systems, Inc. (AWS). "Bayfield", "Brisa" and "Torpedo" are trademarks of AWS. The wall system blocks are covered by the AWS Limited Warranty. For a complete copy, visit your local dealer or see anchorwall.com. Stonewall® II is a registered trademark of WestBlock Systems and a licensed product of WestBlock Development, LLC. Stonewall® II is protected under U.S. Patent D652.153, D652.154, D652.155, D652.531. Additional Patents pending in the U.S. and Canada. BA502 40,000 3/27/2018

ALBERTA • BRITISH COLUMBIA • CALIFORNIA • COLORADO • IDAHO • NEVADA • OREGON • WASHINGTON • WYOMING

Visit basalite.com, find or follow us on

